

E&H services Inc.
Testing laboratory
CAI Accredited Testing Laboratory No. 1665
according to ÈSN EN ISO/IEC 17025:2018
building VÚHŽ, 739 51 Dobrá 240



TEST REPORT No. 285/2024

Customer : Montana Fruit s.r.o.
94631 Chotin 75
Slovensko

Set No. : 192/2024
Sample Received : 8.4.2024 7:00
Sample Analyzed : 8.4.2024 - 11.4.2024
Order No. : 240307/1

VAT : SK2024168267

Information about sample No.: 593

Sampling Date and Time : Not mentioned
Sample name : 10 % CBD v MCT oleji s chlorofylem; THC <0,3 %
Sample type : Vegetable materials
Sampled by : Not mentioned

Results - chemical analysis

Parameter	Value	Unit	Kind	Method used	Uncertainty
Cannabidiol (CBD)	100	mg/g	A	SOP 16.02	± 30%
Cannabidiol Acid	<0,060	mg/g	A	SOP 16.02	---
Cannabigerol	0,63	mg/g	A	SOP 16.02	± 30%
Cannabigerolic Acid	<0,060	mg/g	A	SOP 16.02	---
Delta-9-tetrahydrocannabinol (THC)	2,0	mg/g	A	SOP 16.02	± 30%
Tetrahydrocannabinolic acid	<0,060	mg/g	A	SOP 16.02	---
Sum of CBD	10	%	N	calculation	± 30%
Sum of CBG	0,063	%	N	calculation	± 30%
Sum of THC	0,2	%	N	calculation	± 30%

Notice to sampling : The sampling itself is not a subject of accreditation.

This Report can be reproduced only complete, its part only with the written permission of this testing laboratory.

Results are only for tested samples. The results relate only to the tested samples. In case the laboratory is not responsible for the sampling phase, the results refer to the sample as is received. If the sampling is not the subject of accreditation, the identification data (sample name, date and time of sampling) are stated in the protocol exclusively as provided by the customer and the laboratory is not responsible for them.

All methods are performed at the address of the Testing laboratory.

These expanded uncertainties of measurement are obtained by multiplying of standard uncertainty of measurement by extending coefficient $k=2$ (for confidence level 95%). Uncertainty of sampling not included.

"<" - result is below the detection limit, ">" - result is higher than mentioned value

Methods in Kind column: "A" test in the scope of accreditation, "N" test out of the scope of accreditation

Checked by : Lisník Jirí, MSc.
Completed by : Lisník Jirí, MSc.
Number of pages : 2
Date : 11.4.2024


MSc. Barbora Sokolová, Ph.D.
Head of Testing Laboratory



End of protocol